



SAFETY DATA SHEET

Date Prepared: August 4, 2020 Date Revised: March 9, 2023

1. IDENTIFICATION

TRADE NAME PORON RX-32 (Color: Black)
COMPANY IDENTIFICATION ROGERS INOAC CORPORATION

9-117, Nashinoki, Taketoyo-cho, Chita-gun, Aichi Japan

PHONE NUMBER +81-569-74-1811 FAX NUMBER +81-569-74-1812

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE MATERIAL Not classified.

GHS LABEL ELEMENTS

HAZARD PICTOGRAMS/SYMBOLS None SIGNAL WORD None

HAZARD AND PRECAUTIONARY STATEMENTS None known.

COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERIZATION Mixture(Article)

Chemical Name	wt%	CAS RN
Polyurethane	72	-
Carbon black	0.50	1333-86-4

4. FIRST-AID MEASURES

INHALATION Remove to fresh air after massive inhalation of outgas released by

molten resin when overheated. Obtain medical attention immediately if

symptoms occur.

SKIN CONTACT Harmless under ordinary temperature. Obtain medical attention after

cooling well with large amount of water if molten resin adheres to skin.

EYE CONTACT Flush eyes with clean water. Obtain medical attention immediately if

symptoms persist.

INGESTION Vomit. Obtain medical attention if necessary.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING Water in large amount, powder, carbon dioxide, and other

MEDIA general agents.

UNSUITABLE EXTINGUISHING None known.

MEDIA

PORON RX-32

UNUSUAL FIRE HAZARDS

SPECIAL FIRE FIGHTING

PROCEDURES

Decomposition in a fire may produce irritant or toxic gases.

Using general extinguishing agents from windward is

desirable.

Firefighters should be equipped fire gas mask, turnout gear, and PROTECTIVE EQUIPMENT

other protective equipment depending on the situation.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTION None needed. None needed. PROTECTIVE EQUIPMENT AND

EMERGENCY PROCEDURES

ENVIRONMENTAL PRECAUTIONS Prevent from entering river or ocean since birds and

fish may swallow.

METHODS AND MATERIAL FOR

Scoop or sweep into appropriate container for disposal.

CONTAINMENT AND CLEANING UP

7. HANDLING AND STORAGE

HANDLING

TECHNICAL MEASURES Wear suitable protective equipment. PRECAUTIONS FOR SAFE HANDLING Avoid contact with fire when handling

since it may combust.

CONTACT AVOIDANCE None needed.

STORAGE

CONDITIONS FOR SAFE STORAGE Keep in a cool, well-ventilated area

and avoid direct sunlight.

SAFE PACKING MATERIAL Paper bags, cardboard, and others.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

ENGINEERING CONTROL Install local exhaust ventilation if gases were

generated by molten resin. Ventilation is

recommended for all operations.

PROTECTIVE EQUIPMENT

Protective mask is recommended. **BREATHING HAND** Protective gloves is recommended. EYE AND FACE Safety glasses are recommended.

Safety hat, safety shoes, protective clothing is SKIN AND BODY

recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

PORON RX-32

APPEARANCE Foam COLOR Black

ODOR Subtle smell

BOILING POINT OR INITIAL BOLING POINT AND RANGE NA

FLAMMABILITY Flammable

UPPER/LOWER EXPLOSIVE LIMIT NA FLAMMABILITY LIMITS NA FLASH POINT NA **AUTO-IGNITION TEMPERATURE** NA **DECOMPOSITION TEMPERATURE** NA NA KINEMATIC VISCOSITY NA VAPOR PRESSURE NA SPECIFIC GRAVITY 0.32 RELATIVE VAPOR DENSITY NA PARTICLE PROPERTIES NA

10. STABILITY AND REACTIVITY

REACTIVITY None known.

CHEMICAL STABILITY Stable under normal temperature

and pressure.

POSSIBILITY OF HAZARDOUS REACTIONS NA
CONDITIONS TO AVOID NA

INCOMPATIBLE MATERIALS None known.

HAZARDOUS DECOMPOSITION PRODUCTS NA

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	NA
SKIN CORROSION/IRRITATION	NA
SERIOUS EYE DAMAGE/EYE IRRITATION	NA
RESPIRATORY/SKIN SENSITIZATION	NA
GERM CELL MUTAGENICITY	NA
CARCINOGENICITY	NA
REPRODUCTIVE TOXICITY	NA
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)	NA
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)	NA
ASPIRATION HAZARD	NA

12. ECOLOGICAL INFORMATION

ECOTOXICITY	NA
PERSISTANCE AND DEGRADABILITY	NA
BIOACCUMULATIVE POTENTIAL	NA
MOBILITY IN SOIL	NA
HAZARD TO THE OZONE LAYER	NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD

Dispose of in accordance with applicable federal, state, provincial, and local laws and regulations.

CONTAINER DISPOSAL

Same as above.

14. TRANSPORT INFORMATION

SPECIAL PRECAUTIONS FOR USER

In order not to rip the package, avoid rough handling such as crushing or dropping.

Avoid direct sunlight, heat, moisture, and overloading.

Make sure to take measures not to collapse loads when transporting.

Avoid piling up heavy load in order not to crush the box.

DOMESTIC RESTRICTION

NΑ

15. REGULATORY INFORMATION

POLLUTANT RELEASE AND TRANSFER REGISTER (PRTR) NA INDUSTRIAL SAFETY AND HEALTH ACT NA POISONOUS AND DELETERIOUS SUBSTANCES CONTROL ACT NA

FOREIGN EXCHANGE AND FOREIGN TRADE ACT Export Trade Control Order Appended

> Table Article 1, Paragraph 16 Designated combustible items

synthetic resins

WASTE MANAGEMENT AND PUBLIC CLEANSING ACT

Waste plastics

16. OTHER INFORMATION

NA = Not Applicable

FIRE SERVICE ACT

Technically, this SDS is not required since the material is classified as article. However, for safety use, we prepared this document based on our knowledge and SDS of employed material conforming to "JIS Z 7253: 2019", which determined format of SDS.

- •The information contained herein is not guaranteed as accurate or complete data.
- ·Values shown herein are representative values.
- •The information contained herein is assumed to be used in normal conditions.
- ·No warranty is expressed or implied regarding the safety under special conditions and completeness of ecological effects.
- ·For safety use, please consider the proper handling of our product based on regulations and this data sheet before using.

ROGERS INOAC CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS, OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISK ASSOCIATED WITH THE USE OF THE MATERIAL.